Milliput Component A Page 1 of 7

SAFETY DATA SHEET

Revision: 2 May 2022 Version number: 1.0

SECTION 1: Identification of the substance/mixture and company/undertaking

1.1 Product identifier Milliput Component A

Colour variations: Standard, Teracotta, Black, Superfine White, Silver

Grey, and Turquoise-Blue.

1.2 Relevant identified uses

of the substance or mixture and uses

advised against

Component A of two-part, cold-setting epoxy putty.

Uses advised against: not available.

1.3 Details of the supplier

of the safety data sheet

The Milliput Company, Unit 8, The Marian,

Dolgellau,

Gwynedd LL40 1UU, UK.

Tel 01341 422562; info@milliput.co.uk.

1.4 Emergency telephone

number

Tel 01341 422562 (UK business hours).

UK: 111 (public NHS number for less urgent medical problems). Medical professionals can contact the National Poisons Information Service

(NPIS): 0344 892 0111.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to CLP Regulation: UK SI 2019 No. 720 and EU Regulation 1272/2008.

Skin Irrit 2, H315; Eye Irrit 2, H319; Skin Sens 1, H317; Aquatic Chronic 2, H411.

See Section 16 'Other information' for full text of the H-statements.

2.2 Label elements





Signal word Warning

Hazard statements Causes skin irritation.

> Causes serious eye irritation. May cause an allergic skin reaction.

Toxic to aquatic life with long lasting effects.

Precautionary statements

Keep out of reach of children. general

Wear protective gloves and eye protection. prevention

If skin irritation or rash occurs: Get medical attention. response

If eye irritation persists: Get medical attention.

None. storage

Milliput Component A Page 2 of 7

SAFETY DATA SHEET

Revision: 2 May 2022 Version number: 1.0

disposal Dispose of contents/container in accordance with local/national

regulation.

Supplemental information

None.

2.3 Other hazards Not available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures a,b

Declarable components	Conc. (wt%)	EC No.	CAS No.	REACH Reg. No.	Classification, supplemental hazards, ATE, M-factor, and SCL
Epoxy resin ^c	25–50	500-033-5	25068-38- 6	NA	Skin Irrit 2, H315; Eye Irrit 2, H319; Skin Sens 1, H317; Aquatic Chronic 2, H411
Other components					
Not available					

a NA: not available.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation If inhalation of product is suspected of causing symptoms, remove

exposed person to fresh air and keep at rest in a position comfortable for breathing. For difficulties in breathing, respiratory irritation, or other

symptoms, get medical attention.

Skin For signs of irritation or rash, wash affected area with soap and water. Get

medical attention if irritation or rash persists.

Eye If in eye, rinse with room-temperature water or eyewash solution for

several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention if irritation persists.

Ingestion If in mouth, rinse out with water. Give water to drink if the product has

been swallowed. Get medical attention if exposed person feels unwell. Do

not induce vomiting, unless instructed by medical personnel.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation and may cause an allergic skin reaction. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptoms as they occur.

^b See Section 16 'Other information' for full text of the H-statements.

^c Chemical name: 4,4'-isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane.

Milliput Component A Page 3 of 7

SAFETY DATA SHEET

Revision: 2 May 2022 Version number: 1.0

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable Water spray, alcohol-resistant foam, carbon dioxide, or dry powder.

Unsuitable Water jet may spread fire.

5.2 Special hazards arising from the substance or

The product is not classified as flammable. If involved in a fire, product will decompose producing hazardous smoke, vapours and gases.

mixture

5.3 Advice for firefighters Remove product from fire or cool containers with water spray. Firefighters

should wear self-contained breathing apparatus and full protective

clothing.

Prevent water from firefighting from entering water-courses or drainage

system.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Product is supplied in small packages for consumers which can be

collected.

For large spills in a a professional setting, wear personal protection.

Follow prescribed procedures for responding to workplace spills.

6.2 Environmental precautions

Prevent product from entering water courses or drainage system.

6.3 Methods and material for containment and

Clean up spill as soon as possible.

cleaning up

For small quantities, collect product or wipe off residue with cloth or paper.

For larger quantities, absorb onto an inert material (eg sand), and sweep

up.

Rinse contaminated surfaces with soap and water. Collect waste,

washings, and contaminated materials for safe disposal.

6.4 Reference to other

sections

For recommended personal protective equipment, see Section 8.

For disposal considerations, see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

See Section 8 for engineering controls and personal protection.

Keep out of reach of children.

For bulk handling, avoid skin and eye contact with the product, using measures described in Section 8. Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

safe 7.2 Conditions for storage, including any incompatibilities

For bulk storage, keep container closed. Store containers in a cool, dry place away from direct sunlight.

7.3 Specific end use(s) Component A of two-part, cold-setting epoxy putty. Milliput Component A Page 4 of 7

SAFETY DATA SHEET

Revision: 2 May 2022 Version number: 1.0

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

EU limit values None.

National limit values (UK) Talc, respirable dust: WEL: 8 h TWA, 1 mg/m³.

Monitoring procedure Not available. Other: human Not available.

(DNELs, DMELs)

Other: environmental

Not available.

(PNEC)

8.2 Exposure controls

Engineering controls For workplace use, good general ventilation (eg 3-5 air exchanges per

hour) is recommended.

Personal protective For handling in the workplace, the need for personal protective equipment equipment

should be based on a risk assessment for the particular use.

Avoid skin contact by wearing chemical resistant gloves (eg nitrile, 0.2 mm) and safety goggles. If extensive contact may occur, wear protective

clothing (eg apron, lab coat).

Respiratory protective equipment not required for foreseen use.

PPE should conform to GB or European (EN) standards. Consult

manufacturer concerning breakthrough times.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

(a) Physical state Liquid (paste)

(b) Colour Various colours (Standard, Teracotta, Black, Superfine White, Silver

Grey, and Turquoise-Blue)

(c) Odour Characteristic

(d) Melting/freezing point Not available; epoxy resin -16 °C

(e) Boiling point or initial

boiling point and boiling

range

Not available; epoxy resin 320 °C

(f) Flammability Not available upper Not available (g) Lower

explosion limit

Not available; epoxy resin 266 °C (h) Flash point

(i) Auto-ignition temp. Not available Not available Decomposition temp. (k) pH Not available Milliput Component A Page 5 of 7

SAFETY DATA SHEET

Revision: 2 May 2022 Version number: 1.0

(I) Kinematic viscosity Not available

(m) Solubility Water: epoxy resin 7 mg/L at 25 °C

(n) Partition coeff. noctanol/water (log value) Epoxy resin 3.2 at 25 °C (calculated)

(o) Vapour pressure Not available; epoxy resin < 0.001 Pa at 20 °C (estimate)

(p) Density or rel. density Not available
(q) Relative vapour density Not available
(r) Particle characteristics Not available

9.2 Other information Not considered explosive or oxidising

SECTION 10: Stability and reactivity

10.1 Reactivity Not available.

10.2 Chemical stability Stable under recommended storage and handling conditions. No

hazardous polymerization.

10.3 Possibility of

hazardous reactions

Not available.

10.4 Conditions to avoid High temperatures, or direct sunlight.

10.5 Incompatible materials Strong acids, alkalis, and oxidising agents.

10.6 Hazardous decomposition

products

Not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) Acute toxicity Based on available data on the ingredients, the classification criteria are

not met for the oral route.

Epoxy resin: LD₅₀ (oral, rat, method OECD 420) > 2000 mg/kg.

(b) Skin corrosion/irritation Based on available data on the ingredients, the classification criteria are

met for Category 2 (causes skin irritation).

Epoxy resin: may cause irritation.

(c) Serious eye Based on available data on the ingredients, the classification criteria are

met for Category 2 (causes serious eye irritation).

Epoxy resin: may cause serious eye irritation.

(d) Respiratory or skin

damage/irritation

sensitisation

Respiratory sensitisation: no relevant ingredient has been classified for

this effect.

Dermal sensitisation: based on available data, the classification criteria

are met for Category 1 (may cause an allergic skin reaction).

Epoxy resin: may cause skin sensitisation.

(e) Germ cell mutagenicity Based on available data, the classification criteria are not met.

No relevant ingredient has been classified for this effect.

Milliput Component A Page 6 of 7

SAFETY DATA SHEET

Revision: 2 May 2022 Version number: 1.0

Carcinogenicity Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect. (g) Reproductive toxicity Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect. (h) STOT-single exposure Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect. STOT-repeated Based on available data, the classification criteria are not met. exposure No relevant ingredient has been classified for this effect. Aspiration hazard Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect. 11.2 Information on other Not available. hazards

SECTION 12: Ecological information

12.1 Toxicity Based on available data, the classification criteria are met for Aquatic

Chronic Category 2 (toxic to aquatic life with long lasting effects).

Epoxy resin: toxic to aquatic organisms with long lasting effects: EC₅₀

Epoxy resin: not readily biodegradable, but hydrolyses in water (82% over

(Daphnia, 48 h) 1 mg/L; EC₅₀ (algae, 72 h) 9 mg/L.

12.2 Persistence and

degradability

Not available.

28 d).

12.3 Bioaccumulative potential

12.4 Mobility in soil

Not available.

12.5 Results of PBT and

vPvB assessment

No ingredients have been identified as PBT or vPvB.

12.6 Endocrine disrupting

properties

No ingredients have been identified as an endocrine disruptor.

12.7 Other adverse effects

The mixture is not classified as hazardous to the ozone layer.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Small consumer items may be disposed of in landfill.

For bulk disposal, incineration or landfill is recommended for this product.

Disposal via the drains is not recommended.

Chemical residues generally count as special waste. General EU requirements are given in Directive 2008/98/EC and GB equivalent.

SECTION 14: Transport information

14.1 UN Number UN 3082.

14.2 UN proper shipping

name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N O S (contains 4,4'-isopropylidenediphenol, oligomeric reaction products with

1-chloro-2,3-epoxypropane).

Milliput Component A Page 7 of 7

SAFETY DATA SHEET

Revision: 2 May 2022 Version number: 1.0

14.3 Transport hazard class(es)

9.

14.4 Packing group

III.

14.5 Environmental hazards

Marine pollutant/environmentally hazardous.

14.6 Special precautions for

user

Not available.

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK: Control of Substances Hazardous to Health Regulations 2002 (COSHH), as amended.

COSHH Essentials: Easy Steps to Control Chemicals; HSE Books 2003 (also available on the HSE web site).

Workplace Exposure Limits EH40/2005 (Second edition, published

2011), Health and Safety Executive.

15.2 Chemical safety assessment

Not available.

SECTION 16: Other information

Revisions This SDS is the first version in EU format (Regulation 2020/878), using

classification according to the CLP Regulation, or GB equivalent.

Abbreviations DMEL, derived minimum effect level; DNEL, derived no-effect level; EC,

effect concentration; LD, lethal dose; OECD, Organisation for Economic Co-operation and Development; PBT, persistent, bioaccumulative, and toxic; PNEC, predicted no-effect concentration; STOT RE, specific target organ toxicity, repeated exposure; STOT SE, specific target organ toxicity, single exposure; TWA, time-weighted average; vPvB, very persistent, very bioaccumulative; WEL, UK workplace exposure limit.

References Search for chemicals; available at the European Chemicals Agency

(ECHA) website: http://echa.europa.eu/.

Basis of classification The classification of the mixture has been assessed according to the

criteria given in Regulation 1272/2008 or GB equivalent on the basis of

available information on the ingredients.

List of hazard statements H315: Causes skin irritation; H317: May cause an allergic skin reaction;

H319: Causes serious eye irritation; H411: Toxic to aquatic life with long

lasting effects.

Milliput Component B Page 1 of 7

SAFETY DATA SHEET

Revision: 8 August 2023 Version number: 1.0

SECTION 1: Identification of the substance/mixture and company/undertaking

1.1 Product identifier Milliput Component B

Colour variations: Standard, Teracotta, and Black.

1.2 Relevant identified uses of the substance or mixture and uses

Component B of two-part, cold-setting epoxy putty.

Uses advised against: not available.

1.3 Details of the supplier of the safety data sheet

advised against

The Milliput Company, Unit 8, The Marian,

Dolgellau, Gwynedd LL40 1UU, UK. Tel 01341 422562; info@milliput.co.uk.

1.4 Emergency telephone number

Tel 01341 422562 (UK business hours).

UK: 111 (public NHS number for less urgent medical problems). Medical professionals can contact the National Poisons Information

Service (NPIS): 0344 892 0111.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to CLP Regulation: UK SI 2019 No. 720 and EU Regulation 1272/2008.

Skin Irrit 2, H315; Eye Irrit 2, H319; Skin Sens 1, H317; STOT SE 3, H335.

See Section 16 'Other information' for full text of the H-statements.

2.2 Label elements



Signal word Warning.

Hazard statements Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction. May cause respiratory irritation.

Precautionary statements

general Keep out of reach of children.

prevention Wear protective gloves and eye protection.

response IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs:

Get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. If eye

irritation persists: Get medical attention.

storage None.

disposal Dispose of contents/container in accordance with local/national

regulation.

Milliput Component B Page 2 of 7

SAFETY DATA SHEET

Revision: 8 August 2023 Version number: 1.0

Supplemental information

None.

2.3 Other hazards Not available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures a,b

Declarable components	Conc. (wt%)	EC No.	CAS No.	REACH Reg. No.	Classification, supplemental hazards, ATE, M-factor, and SCL		
Fatty acids, tall-oil, reaction products with tetraethylenepentamine	15–30	273-201-6	68953-36-6	NA	Skin Irrit 2, H315; Eye Irrit 2, H319; Skin Sens 1, H317; STOT SE 3, H335		
Tetraethylenepentamin e	0.1-2	203-986-2	112-57-2	NA	Acute Tox 4, H302; Acute Tox 4, H312; Skin Corr 1B, H314; Eye Dam 1, H318; Skin Sens 1, H317; Aquatic Chronic 2, H411		
Other components							
Talc	> 50	238-877-9	14807-96-6	NA	Not classified		

^a NA: not available.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation If inhalation of product is suspected of causing symptoms, remove

exposed person to fresh air and keep at rest in a position comfortable for breathing. For difficulties in breathing, respiratory irritation, or other

symptoms, get medical attention.

Skin If in contact with skin, wash affected area with soap and water, or

shower. For signs of irritation or rash, get medical attention. Take off

contaminated clothing and wash it before reuse.

Eye If in eye, rinse with room-temperature water or eyewash solution for

several minutes. Remove contact lens, if present and easy to do.

Continue rinsing. If eye irritation persists, get medical attention.

Ingestion If in mouth, rinse out several times with water. Give water to drink if the

product has been swallowed. Get medical attention if exposed person feels unwell. Do not induce vomiting, unless instructed by medical

personnel.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation and serious eye irritation. May cause respiratory irritation. May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptoms as they occur. The product is alkaline, and dilution with water or careful neutralisation with weak acid will reduce its hazardous properties.

^b See Section 16 'Other information' for full text of the H-statements.

Milliput Component B Page 3 of 7

SAFETY DATA SHEET

Revision: 8 August 2023 Version number: 1.0

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable Water spray, alcohol-resistant foam, carbon dioxide, or dry powder.

Unsuitable Water jet may spread fire.

5.2 Special hazards arising from the substance or mixture

The product is not classified as flammable. If involved in a fire, product will decompose producing hazardous smoke, vapours and gases.

5.3 Advice for firefighters Remove product from fire or cool containers with water spray.

Firefighters should wear self-contained breathing apparatus and full

protective clothing.

Prevent water from firefighting from entering water-courses or drainage

system.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Product is supplied in small packages for consumers which can be collected.

For large spills in a a professional setting, wear personal protection. Follow prescribed procedures for responding to workplace spills.

6.2 Environmental precautions

Prevent product from entering water courses or drainage system.

6.3 Methods and material for containment and cleaning up

Clean up spill as soon as possible.

For small quantities, collect product or wipe off residue with cloth or

paper.

For larger quantities, absorb onto an inert material (eg sand), and sweep

up.

Rinse contaminated surfaces with soap and water. Collect waste,

washings, and contaminated materials for safe disposal.

6.4 Reference to other sections

For recommended personal protective equipment, see Section 8.

For disposal considerations, see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

See Section 8 for engineering controls and personal protection.

Keep out of reach of children.

For bulk handling, avoid skin and eye contact with the product, using measures described in Section 8. Avoid breathing vapours. Use in a well-ventilated area. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

For bulk storage, keep container closed. Store containers in a cool, dry place away from direct sunlight.

7.3 Specific end use(s) Component B of two-part, cold-setting epoxy putty.

Milliput Component B Page 4 of 7

SAFETY DATA SHEET

Revision: 8 August 2023 Version number: 1.0

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

EU limit values None.

National limit values

(UK)

Talc, respirable dust: WEL: 8 h TWA, 1 mg/m³.

Monitoring procedure Not available. human Other:

health

Not available.

(DNELs, DMELs)

Other: environmental

(PNEC)

Not available.

8.2 Exposure controls

Engineering controls For workplace use, good general ventilation (eg 3 air exchanges per

hour) is recommended.

Personal protective

equipment

For handling in the workplace, the need for personal protective equipment should be based on a risk assessment for the particular use.

Avoid skin contact by wearing chemical resistant gloves (eg nitrile, 0.2 mm) and safety goggles. If extensive contact may occur, wear protective

clothing (eg apron, lab coat).

Respiratory protective equipment not required for foreseen use.

PPE should conform to GB or European (EN) standards. Consult

manufacturer concerning breakthrough times.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

(a) Physical state Liquid (paste)

(b) Colour Various colours (Standard, Teracotta, and Black)

(c) Odour Characteristic (d) Melting/freezing point Not available

(e) Boiling point or initial

boiling point and boiling

Not available

range

(f) Flammability Not available

(g) Lower and upper

explosion limit

Not available

(h) Flash point Not available (i) Auto-ignition temp. Not available

Decomposition temp. Not available (j)

Not available (k) pH

Kinematic viscosity Not available Milliput Component B Page 5 of 7

SAFETY DATA SHEET

Revision: 8 August 2023 Version number: 1.0

(m) Solubility In water: not available

(n) Partition coeff. noctanol/water (log value)

Not available

Not available (o) Vapour pressure (p) Density or rel. density Not available

(q) Relative vapour density Not available (r) Particle characteristics Not available

9.2 Other information Not considered explosive or oxidising

SECTION 10: Stability and reactivity

10.1 Reactivity Product is alkaline and will react with acids and produce heat.

10.2 Chemical stability Stable under recommended storage and handling conditions. No

hazardous polymerization.

10.3 Possibility of

hazardous reactions

Not available.

10.4 Conditions to avoid High temperatures, or direct sunlight.

10.5 Incompatible materials Strong acids, and oxidising agents.

10.6 Hazardous decomposition products

damage/irritation

Not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Based on available data on the ingredients, the classification criteria are (a) Acute toxicity

not met for the oral, dermal or inhalation routes of exposure.

(b) Skin corrosion/irritation Based on available data on the ingredients the classification criteria are

met for Category 2 (causes skin irritation).

Serious eye Based on available data on the ingredients, the classification criteria are

met for Category 2 (causes serious eye irritation).

(d) Respiratory or skin Respiratory sensitisation: no relevant ingredient has been classified for

sensitisation this effect.

Dermal sensitisation: based on available data, the classification criteria

are met for Category 1 (may cause an allergic skin reaction).

(e) Germ cell mutagenicity Based on available data, the classification criteria are not met.

No relevant ingredient has been classified for this effect.

Carcinogenicity Based on available data, the classification criteria are not met.

No relevant ingredient has been classified for this effect.

(g) Reproductive toxicity Based on available data, the classification criteria are not met.

No relevant ingredient has been classified for this effect.

(h) STOT-single exposure Based on available data on the ingredients, the classification criteria are

met for Category 3 (may cause respiratory irritation).

Milliput Component B Page 6 of 7

SAFETY DATA SHEET

Revision: 8 August 2023 Version number: 1.0

STOT-repeated Based on available data, the classification criteria are not met. (i) exposure

No relevant ingredient has been classified for this effect.

Aspiration hazard Based on available data, the classification criteria are not met.

No relevant ingredient has been classified for this effect.

11.2 Information on other

hazards

No ingredient identified as having endocrine disrupting properties

relevant for humans.

SECTION 12: Ecological information

12.1 Toxicity Based on available data on the ingredients, the classification criteria are

not met.

12.2 Persistence and

degradability

Not available.

12.3 Bioaccumulative

potential

Not available.

12.4 Mobility in soil Not available.

12.5 Results of PBT and vPvB assessment

No ingredients have been classified as PBT or vPvB.

12.6 Endocrine disrupting

properties

No ingredients have been classified as an endocrine disruptor.

12.7 Other adverse effects The mixture is not classified as hazardous to the ozone layer.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Small consumer items may be disposed of in landfill.

For bulk disposal, incineration or landfill is recommended for this

product. Disposal via the drains is not recommended.

Chemical residues generally count as special waste. General EU requirements are given in Directive 2008/98/EC and GB equivalent.

SECTION 14: Transport information

Not classified as dangerous goods for transport. 14.1 UN Number

14.2 UN proper shipping name Not applicable. 14.3 Transport hazard class(es) Not applicable. 14.4 Packing group Not applicable.

14.5 Environmental hazards Not classified as marine pollutant/environmentally hazardous.

14.6 Special precautions for

user

Not available.

14.7 Maritime transport in bulk according to IMO

instruments

Not applicable. This product is not intended to be transported by sea

in bulk containers.

Milliput Component B Page 7 of 7

SAFETY DATA SHEET

Revision: 8 August 2023 Version number: 1.0

SECTION 15: Regulatory information

15.1 Safety, health and environmental

regulations/legislation specific for the substance or mixture *UK*: Control of Substances Hazardous to Health Regulations 2002 (COSHH), as amended.

COSHH Essentials: Easy Steps to Control Chemicals; HSE Books 2003 (also available on the HSE web site).

Workplace Exposure Limits EH40/2005 (Fourth Edition 2020), Health and Safety Executive.

15.2 Chemical safety assessment

Not available.

SECTION 16: Other information

Revisions This SDS is the first version in EU format (Regulation 2020/878), using

classification according to the CLP Regulation, or GB equivalent.

Abbreviations ATE, acute toxicity estimate; DMEL, derived minimum effect level;

DNEL, derived no-effect level; PBT, persistent, bioaccumulative, and toxic; PNEC, predicted no-effect concentration; SCL, specific concentration limit; STOT RE, specific target organ toxicity, repeated exposure; STOT SE, specific target organ toxicity, single exposure; TWA, time-weighted average; vPvB, very persistent, very

bioaccumulative; WEL, UK workplace exposure limit.

References Search for chemicals; available at the European Chemicals Agency

(ECHA) website: http://echa.europa.eu/.

Basis of classification The classification of the mixture has been assessed according to the

criteria given in Regulation 1272/2008 or GB equivalent on the basis of

available information on the ingredients.

List of hazard statements H302: Harmful if swallowed; H312: Harmful in contact with skin; H314:

Causes severe skin burns and eye damage; H315: Causes skin irritation; H317: May cause an allergic skin reaction; H318: Causes serious eye damage; H319: Causes serious eye irritation; H335: May cause respiratory irritation; H411: Toxic to aquatic life with long lasting

effects.

Milliput Component B Page 1 of 8

SAFETY DATA SHEET

Revision: 8 August 2023 Version number: 1.0

SECTION 1: Identification of the substance/mixture and company/undertaking

1.1 Product identifier Milliput Component B

Colour variations: Superfine White, Silver Grey, and Turquoise Blue.

1.2 Relevant identified uses of the substance or mixture and uses

Component B of two-part, cold-setting epoxy putty.

Uses advised against: not available.

1.3 Details of the supplier of the safety data sheet

advised against

The Milliput Company, Unit 8, The Marian,

Dolgellau, Gwynedd LL40 1UU, UK. Tel 01341 422562; info@milliput.co.uk.

1.4 Emergency telephone number

Tel 01341 422562 (UK business hours).

UK: 111 (public NHS number for less urgent medical problems). Medical professionals can contact the National Poisons Information

Service (NPIS): 0344 892 0111.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to CLP Regulation: UK SI 2019 No. 720 and EU Regulation 1272/2008.

Skin Irrit 2, H315; Eye Irrit 2, H319; Skin Sens 1, H317; STOT SE 3, H335; Aquatic Chronic 3, H412

See Section 16 'Other information' for full text of the H-statements.

2.2 Label elements



Signal word Warning.

Hazard statements Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction. May cause respiratory irritation.

Harmful to aquatic life with long lasting effects.

Precautionary statements

general Keep out of reach of children.

prevention Wear protective gloves and eye protection.

response IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs:

Get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. If eye

irritation persists: Get medical attention.

storage None.

disposal Dispose of contents/container in accordance with local/national

Milliput Component B Page 2 of 8

SAFETY DATA SHEET

Revision: 8 August 2023 Version number: 1.0

regulation.

Supplemental information

None.

2.3 Other hazards Not available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures a,b

Declarable components	Conc. (wt%)	EC No.	CAS No.	REACH Reg. No.	Classification, supplemental hazards, ATE, M-factor, and SCL	
Fatty acids, tall-oil, reaction products with tetraethylenepentamine	15–30	273-201-6	68953-36-6	NA	Skin Irrit 2, H315; Eye Irrit 2, H319; Skin Sens 1, H317; STOT SE 3, H335	
Tetraethylenepentamin e	0.1-2	203-986-2	112-57-2	NA	Acute Tox 4, H302; Acute Tox 4, H312; Skin Corr 1B, H314; Eye Dam 1, H318; Skin Sens 1, H317; Aquatic Chronic 2, H411	
2,6-Di-tert-butyl-p- cresol (BHT)	< 0.5	204-881-4	128-37-0	NA	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 (M = 1)	
Other components						
Talc	> 50	238-877-9	14807-96-6	NA	Not classified	

^a NA: not available.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation If inhalation of product is suspected of causing symptoms, remove

exposed person to fresh air and keep at rest in a position comfortable for breathing. For difficulties in breathing, respiratory irritation, or other

symptoms, get medical attention.

Skin If in contact with skin, wash affected area with soap and water, or

shower. For signs of irritation or rash, get medical attention. Take off

contaminated clothing and wash it before reuse.

Eye If in eye, rinse with room-temperature water or eyewash solution for

several minutes. Remove contact lens, if present and easy to do.

Continue rinsing. If eye irritation persists, get medical attention.

Ingestion If in mouth, rinse out several times with water. Give water to drink if the

product has been swallowed. Get medical attention if exposed person feels unwell. Do not induce vomiting, unless instructed by medical

personnel.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation and serious eye irritation. May cause respiratory

irritation. May cause an allergic skin reaction.

^b See Section 16 'Other information' for full text of the H-statements.

Milliput Component B Page 3 of 8

SAFETY DATA SHEET

Revision: 8 August 2023 Version number: 1.0

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptoms as they occur. The product is alkaline, and dilution with water or careful neutralisation with weak acid will reduce its hazardous properties.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable Water spray, alcohol-resistant foam, carbon dioxide, or dry powder.

Unsuitable Water jet may spread fire.

5.2 Special hazards arising from the substance or mixture

The product is not classified as flammable. If involved in a fire, product will decompose producing hazardous smoke, vapours and gases.

5.3 Advice for firefighters

Remove product from fire or cool containers with water spray. Firefighters should wear self-contained breathing apparatus and full protective clothing.

Prevent water from firefighting from entering water-courses or drainage system.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Product is supplied in small packages for consumers which can be collected.

For large spills in a a professional setting, wear personal protection. Follow prescribed procedures for responding to workplace spills.

6.2 Environmental precautions

Prevent product from entering water courses or drainage system.

6.3 Methods and material for containment and cleaning up

Clean up spill as soon as possible.

For small quantities, collect product or wipe off residue with cloth or paper.

Far lare

For larger quantities, absorb onto an inert material (eg sand), and sweep

up.

Rinse contaminated surfaces with soap and water. Collect waste, washings, and contaminated materials for safe disposal.

6.4 Reference to other sections

For recommended personal protective equipment, see Section 8.

For disposal considerations, see Section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

See Section 8 for engineering controls and personal protection.

Keep out of reach of children.

For bulk handling, avoid skin and eye contact with the product, using measures described in Section 8. Avoid breathing vapours. Use in a well-ventilated area. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

For bulk storage, keep container closed. Store containers in a cool, dry place away from direct sunlight.

Milliput Component B Page 4 of 8

SAFETY DATA SHEET

Revision: 8 August 2023 Version number: 1.0

7.3 Specific end use(s) Component B of two-part, cold-setting epoxy putty.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

EU limit values None.

National limit values Talc, respirable dust: WEL: 8 h TWA, 1 mg/m³.

(UK) BHT: WEL: 8 h TWA, 10 mg/m³.

Monitoring procedure Not available. Not available.

environmental

Other: human health

(DNELs, DMELs)

Not available.

Other: (PNEC)

equipment

8.2 Exposure controls

Engineering controls For workplace use, good general ventilation (eg 3 air exchanges per

hour) is recommended.

Personal protective For handling in the workplace, the need for personal protective

equipment should be based on a risk assessment for the particular use. Avoid skin contact by wearing chemical resistant gloves (eg nitrile, 0.2

mm) and safety goggles. If extensive contact may occur, wear protective

clothing (eg apron, lab coat).

Respiratory protective equipment not required for foreseen use.

PPE should conform to GB or European (EN) standards. Consult

manufacturer concerning breakthrough times.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

(a) Physical state Liquid (paste)

(b) Colour Various colours (Superfine White, Silver Grey, and Turquoise Blue)

(c) Odour Characteristic (d) Melting/freezing point Not available

Not available (e) Boiling point or initial

boiling point and boiling

range

(f) Flammability Not available

(g) Lower upper

explosion limit

Not available

Not available (h) Flash point

(i) Auto-ignition temp. Not available

Decomposition temp. Not available Milliput Component B Page 5 of 8

SAFETY DATA SHEET

Revision: 8 August 2023 Version number: 1.0

(k) pH Not available(l) Kinematic viscosity Not available

(m) Solubility In water: not available

(n) Partition coeff. n-octanol/water (log value)

Not available

(o) Vapour pressure Not available
(p) Density or rel. density Not available
(q) Relative vapour density Not available
(r) Particle characteristics Not available

9.2 Other information Not considered explosive or oxidising

SECTION 10: Stability and reactivity

10.1 Reactivity Product is alkaline and will react with acids and produce heat.

10.2 Chemical stability Stable under recommended storage and handling conditions. No

hazardous polymerization.

10.3 Possibility of hazardous reactions

Not available.

10.4 Conditions to avoid High temperatures, or direct sunlight.

10.5 Incompatible materials

Strong acids, and oxidising agents.

10.6 Hazardous decomposition products

damage/irritation

sensitisation

Not available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) Acute toxicity Based on available data on the ingredients, the classification criteria are

not met for the oral, dermal or inhalation routes of exposure.

(b) Skin corrosion/irritation Based on available data on the ingredients the classification criteria are

met for Category 2 (causes skin irritation).

(c) Serious eye Based on available data on the ingredients, the classification criteria are

met for Category 2 (causes serious eye irritation).

(d) Respiratory or skin Respiratory sensitisation: no relevant ingredient has been classified for

this effect.

Dermal sensitisation: based on available data, the classification criteria

are met for Category 1 (may cause an allergic skin reaction).

(e) Germ cell mutagenicity Based on available data, the classification criteria are not met.

No relevant ingredient has been classified for this effect.

(f) Carcinogenicity Based on available data, the classification criteria are not met.

No relevant ingredient has been classified for this effect.

(g) Reproductive toxicity Based on available data, the classification criteria are not met.

Milliput Component B Page 6 of 8

SAFETY DATA SHEET

Revision: 8 August 2023 Version number: 1.0

No relevant ingredient has been classified for this effect.

(h) STOT-single exposure Based on available data on the ingredients, the classification criteria are

met for Category 3 (may cause respiratory irritation).

STOT-repeated Based on available data, the classification criteria are not met. exposure

No relevant ingredient has been classified for this effect.

Aspiration hazard Based on available data, the classification criteria are not met.

No relevant ingredient has been classified for this effect.

11.2 Information on other

hazards

No ingredient identified as having endocrine disrupting properties

relevant for humans.

SECTION 12: Ecological information

12.1 Toxicity Based on available data on the ingredients, the classification criteria are

met for Aquatic Chronic Category 3 (harmful to aquatic life with long

lasting effects).

BHT: very toxic to aquatic organisms with long-lasting effects.

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative

Not available.

potential 12.4 Mobility in soil

Not available.

12.5 Results of PBT and vPvB assessment

No ingredients have been classified as PBT or vPvB.

12.6 Endocrine disrupting

properties

No ingredients have been classified as an endocrine disruptor.

12.7 Other adverse effects The mixture is not classified as hazardous to the ozone layer.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Small consumer items may be disposed of in landfill.

For bulk disposal, incineration or landfill is recommended for this

product. Disposal via the drains is not recommended.

Chemical residues generally count as special waste. General EU requirements are given in Directive 2008/98/EC and GB equivalent.

SECTION 14: Transport information

14.1 UN Number Not classified as dangerous goods for transport.

14.2 UN proper shipping name Not applicable. 14.3 Transport hazard class(es) Not applicable.

14.4 Packing group Not applicable.

14.5 Environmental hazards Not classified as marine pollutant/environmentally hazardous.

14.6 Special precautions for

user

Not available.

Milliput Component B Page 7 of 8

SAFETY DATA SHEET

Revision: 8 August 2023 Version number: 1.0

14.7 Maritime transport in bulk according to IMO instruments

Not applicable. This product is not intended to be transported by sea in bulk containers.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK: Control of Substances Hazardous to Health Regulations 2002 (COSHH), as amended.

COSHH Essentials: Easy Steps to Control Chemicals; HSE Books 2003 (also available on the HSE web site).

Workplace Exposure Limits EH40/2005 (Fourth Edition 2020), Health and Safety Executive.

15.2 Chemical safety assessment

Not available.

SECTION 16: Other information

Revisions This SDS is the first version in EU format (Regulation 2020/878), using

classification according to the CLP Regulation, or GB equivalent.

Abbreviations ATE, acute toxicity estimate; DMEL, derived minimum effect level;

DNEL, derived no-effect level; PBT, persistent, bioaccumulative, and toxic; PNEC, predicted no-effect concentration; SCL, specific concentration limit; STOT RE, specific target organ toxicity, repeated exposure; STOT SE, specific target organ toxicity, single exposure; TWA, time-weighted average; vPvB, very persistent, very

bioaccumulative; WEL, UK workplace exposure limit.

References Search for chemicals; available at the European Chemicals Agency

(ECHA) website: http://echa.europa.eu/.

Basis of classification The classification of the mixture has been assessed according to the

criteria given in Regulation 1272/2008 or GB equivalent on the basis of

available information on the ingredients.

List of hazard statements H302: Harmful if swallowed; H312: Harmful in contact with skin; H314:

Causes severe skin burns and eye damage; H315: Causes skin irritation; H317: May cause an allergic skin reaction; H318: Causes serious eye damage; H319: Causes serious eye irritation; H335: May cause respiratory irritation; H400: Very toxic to aquatic life; H410: Very toxic to aquatic life with long lasting effects; H411: Toxic to aquatic life with long lasting effects; H412: Harmful to aquatic life with long lasting

effects.